

Lafayette Utilities System

ELECTRIC, Private security lighting: Schedule L3

Effective date: June 2021 Ordinance Section: 94-119

Availability:

This rate schedule is available to all electric customers.

Character of service:

This rate schedule covers electric lighting service for outdoor equipment, the illumination of driveways, yards, lots and other outdoor areas. This unmetered service will be provided under a separate written agreement between the customer and the system and in accordance with acceptable practices of the system. Service under this rate schedule shall be available on an automatically controlled dusk-to-dawn schedule.

Monthly rate:

The sum of the following charges, rate is effective with the **June 2021** billing cycle:

(1) An installation and monthly service charge as follows:

HPS or MV Service (Watts)	Monthly Service Charge	LED Service (comparable lighting ability)	Monthly Service Charge
100W HPS	\$3.78		
150W HPS	\$5.00	Security LED	\$5.00
250W HPS	\$11.27	Small LED Flood	\$11.27
400 WMV	\$12.49		
400W HPS	\$13.78	Medium LED Flood	\$13.78
1,000W MV	\$21.21		
1,000W HPS	\$22.02	Large LED Flood	\$22.02

* HPS = High Pressure Sodium; MV = Mercury Vapor; LED = Light Emitting Diode

(2) Fuel charge: See Schedule FC

(3) Tax additions: See Schedule X-1

Improving the way you live.

(L3 Continued)

- (4) Charges for models having ratings varying considerably from the nominal ratings set out in subsection (1) of this section will be extrapolated based on the charges set out in subsection (1).
- (5) The director may waive all or any part of the installation charge for all and any light types or sizes during advertised security lighting sales promotions.

After the effective date of June 2021, all new service under this section will be provided using LED lighting. Replacements for blown HPS or MV lights for existing service will be provided using HPS, MV or LED lighting, at the director's discretion. The director may convert existing HPS or MV service to LED lighting at any time, at his discretion. No charge will be assessed for conversion of service from HPS or MV to LED lighting.